PAC-845

8" ACOUSTIC LOUVER


| STANDARD CONSTRUCTION | | | | | | |
|-----------------------|---|--|--|--|--|--|
| FRAME | FORMED ALUMINUM 0.102" (2.6 MM) | | | | | |
| BLADES | FORMED ALUMINUM 0.102" (2.6 MM) | | | | | |
| BLADE ANGLE | 45° | | | | | |
| BLADE FASTENING | RIVETED TO FRAME | | | | | |
| ACOUSTIC INSULATION | STONE WOOL (ROXUL AFB) HELD IN PLACE WITH A SHEET OF 20 GA PERFORATED GALVANIZED STEEL, 33% OPEN AREA | | | | | |
| BIRD SCREEN | EXPANDED ALUMINUM 1/2" – 081F (12.7 MM) | | | | | |
| FINISH | MILL | | | | | |
| WEIGHT | 9 LB/FT ² (44 KG/M ²) | | | | | |
| SINGLE SECTION | MIN. 24" (610 MM) X 30" (762 MM) | | | | | |
| | MAX. 72" (1 829 MM) X 120" (3 048 MM) | | | | | |

| PERFORMANCE: 48" X 48" SECTION | | | | |
|---|-----------------------|--|--|--|
| FREE AREA | 3.36 FT² (0.312 M²) | | | |
| PERCENTAGE OF FREE AREA | 21% | | | |
| BEGINNING POINT OF WATER PENETRATION | 996 FT/MIN (5.06 M/S) | | | |
| PRESSURE DROP AT BEGINNING POINT OF WATER PENETRATION | 0.082" W.G. (20.4 PA) | | | |

NOTE: Louvers tested with bird screen installed

| | AVAILABLE OPTIONS | | | |
|----------------------|--|--|--|--|
| TYPE OF CONSTRUCTION | GALVANIZED STEEL | | | |
| | STAINLESS STEEL | | | |
| | MODULAR | | | |
| | GEOMETRIC SHAPES | | | |
| BIRD SCREEN | GALVANIZED 1/4" X 1/4" (6.35 MM X 6.35 MM) | | | |
| | GALVANIZED 1" X 1" (25.4 MM X 25.4 MM) | | | |
| | EXPANDED ALUMINUM 1/2" – 051F (12.7 MM) | | | |
| INSECT SCREEN | FASTENED | | | |
| | REMOVABLE | | | |
| BLANK-OFF PANEL | NON INSULATED | | | |
| | INSULATED AND FASTENED (WITH THERMAL BARRIER) | | | |
| | INSULATED AND REMOVABLE (WITH THERMAL BARRIER) | | | |
| FILTER SUPPORT | 1" (25.4 MM) | | | |
| | 2" (50.8 MM) | | | |

| | FINISHES AVAILABLE |
|----------|--|
| ANODIZED | CLEAR |
| | COLOR |
| PAINT | LECHLER ISOLACK (5-YEAR WARRANTY) |
| | DURANAR OR INTERPON D 2000 (20-YEAR WARRANTY) |
| | DURANAR XL OR INTERPON D 3000 (30-YEAR WARRANTY) |




| NORMALIZED NOISE REDUCTION AND SOUND TRANSMISSION CLASS (STC) | | | | | | | | | |
|---|-----|-----|-----|------|-------|-------|-----|--|--|
| FREQUENCY (HZ) | 125 | 250 | 500 | 1000 | 2 000 | 4 000 | STC | | |
| NOISE REDUCTION (DB) | 7 | 12 | 17 | 22 | 26 | 25 | 15 | | |




MAKING MASTERWORKS

PAC-845

PRESSURE DROP VS AIR VELOCITY 8" ACOUSTIC MODEL



WATER PENETRATION 8" ACOUSTIC MODEL BEGINNING POINT OF WATER PENETRATION AT 996 FT/MIN



NOTES:

- > Tests performed by Intertek, an independent acoustic laboratory.
- Acoustic tests performed with a standard aluminum acoustic louver.
 Results may vary depending on the material used to build the acoustic louver.
- > Water penetration and pressure drop tests performed by Air-Ins Laboratories, in accordance with the AMCA 500 standard.

